

Oral Leukoplakia Treatment & Management

Author: Christopher M Harris, MD, DMD; Chief Editor: Arlen D Meyers, MD, MBA more...

Updated: Mar 31, 2015

Medical Care

Surgical excision of oral leukoplakia (OL) may be considered. Frequent clinical observation accompanied by photographic records is recommended. Because of the unpredictable behavior of dysplastic lesions, immediately obtain a biopsy on any areas that are suggestive or that change in appearance. [9] Cryotherapy ablation and carbon dioxide laser ablation are also used. [10] The area heals rapidly, and apparently healthy mucosa is left behind. However, uncertainty remains regarding the risk of invasive carcinomas subsequently arising in sites previously treated.

Consultations

Consult an oral medicine specialist to evaluate etiologic factors and to determine the individualized treatment.

Diet

Discontinue the use of alcohol

Activity

Physical activity is not restricted.

Medication

Contributor Information and Disclosures

Author

Christopher M Harris, MD, DMD Residency Program Director, Department of Oral and Maxillofacial Surgery, Maxillofacial Tumor and Reconstruction, Naval Medical Center Portsmouth

Christopher M Harris, MD, DMD is a member of the following medical societies: American Association of Oral and Maxillofacial Surgeons, American Dental Association

Disclosure: Nothing to disclose.

Specialty Editor Board

Francisco Talavera, PharmD, PhD Adjunct Assistant Professor, University of Nebraska Medical Center College of Pharmacy; Editor-in-Chief, Medscape Drug Reference

Disclosure: Received salary from Medscape for employment. for: Medscape.

Nader Sadeghi, MD, FRCSC Professor, Otolaryngology-Head and Neck Surgery, Director of Head and Neck Surgery, George Washington University School of Medicine and Health Sciences

Nader Sadeghi, MD, FRCSC is a member of the following medical societies: American Head and Neck Society, American Thyroid Association, American Academy of Otolaryngology-Head and Neck Surgery, Royal College of Physicians and Surgeons of Canada

Disclosure: Nothing to disclose.

Chief Editor

Arlen D Meyers, MD, MBA Professor of Otolaryngology, Dentistry, and Engineering, University of Colorado School of Medicine

Arlen D Meyers, MD, MBA is a member of the following medical societies: American Academy of Facial Plastic and Reconstructive Surgery, American Academy of Otolaryngology-Head and Neck Surgery, American Head and Neck Society

Disclosure: Serve(d) as a director, officer, partner, employee, advisor, consultant or trustee for: Cerescan;RxRevu;SymbiaAllergySolutions
br/>Received income in an amount equal to or greater than \$250 from: Symbia
br/>Received from Allergy Solutions, Inc for board membership; Received honoraria from RxRevu for chief medical editor; Received salary from Medvoy for founder and president; Received consulting fee from Corvectra for senior medical advisor; Received ownership interest from Cerescan for consulting; Received consulting fee from Essiahealth for advisor; Received consulting fee from Carespan for advisor; Received consulting fee from Covidien for consulting.

Additional Contributors

David J Terris, MD, FACS Porubsky Professor and Chairman, Department of Otolaryngology, Medical College of Georgia, Georgia Regents University

David J Terris, MD, FACS is a member of the following medical societies: American Association for the Advancement of Science, Federation of American Societies for Experimental Biology, International Association of Endocrine Surgeons, Alpha Omega Alpha, Triological Society, Radiation Research Society, American Academy of Otolaryngology-Head and Neck Surgery, American Bronchoesophagological Association, American College of Surgeons, American Head and Neck Society, Phi Beta Kappa, Society of University Otolaryngologists-Head and Neck Surgeons

Disclosure: Nothing to disclose.

References

- Liu W, Shi LJ, Wu L, Feng JQ, Yang X, Li J, et al. Oral cancer development in patients with leukoplakiaclinicopathological factors affecting outcome. *PLoS One*. 2012. 7(4):e34773. [Medline]. [Full Text].
- 2. Brouns E, Baart J, Karagozoglu K, Aartman I, Bloemena E, van der Waal I. Malignant transformation of oral leukoplakia in a well-defined cohort of 144 patients. *Oral Dis*. 2013 Mar 6. [Medline].
- Fan JH, Wang JB, Qu CX, et al. Association between oral leukoplakia and upper gastrointestinal cancers: a 28-year follow-up study in the Linxian General Population Trial. *Oral Oncol.* 2014 Oct. 50(10):971-5. [Medline]. [Full Text].
- Pathology & Genetics. Head and Neck Tumours. World Health Organization. World Health Organization of Tumours. In: Barnes L, Eveson JW, Reichart P, Sidransky D, eds. Lyon: International Agency for Research of Cancer (IARC) IARC Press; 2005. 177-179.
- Yang SW, Lee YS, Chang LC, Hwang CC, Luo CM, Chen TA. Use of endoscopy with narrow-band imaging system in evaluating oral leukoplakia. Head Neck. 2011 Nov 3. [Medline].
- Greenspan D, Jordan RC. The white lesion that kills--aneuploid dysplastic oral leukoplakia. N Engl J Med. 2004 Apr 1. 350(14):1382-4. [Medline].
- Sudbø J, Lippman SM, Lee JJ, Mao L, Kildal W, Sudbø A. The influence of resection and aneuploidy on mortality in oral leukoplakia. N Engl J Med. 2004 Apr 1. 350(14):1405-13. [Medline].
- von Zeidler SV, de Souza Botelho T, Mendonca EF, et al. E-cadherin as a potential biomarker of malignant transformation in oral leukoplakia: a retrospective cohort study. BMC Cancer. 2014 Dec 17. 14:972. [Medline]. [Full Text].
- 9. Jeong WJ, Paik JH, Cho SW, Sung MW, Kim KH, Ahn SH. Excisional biopsy for management of lateral tongue leukoplakia. *J Oral Pathol Med*. 2011 Nov 12. [Medline].
- Lin HP, Chen HM, Cheng SJ, Yu CH, Chiang CP. Cryogun cryotherapy for oral leukoplakia. Head Neck. 2011 Nov 15. [Medline].
- 11. Lippman SM, Batsakis JG, Toth BB, Weber RS, Lee JJ, Martin JW. Comparison of low-dose isotretinoin with beta carotene to prevent oral carcinogenesis. *N Engl J Med*. 1993 Jan 7. 328(1):15-20. [Medline].
- Garewal HS, Katz RV, Meyskens F, Pitcock J, Morse D, Friedman S. Beta-carotene produces sustained remissions in patients with oral leukoplakia: results of a multicenter prospective trial. *Arch Otolaryngol Head Neck Surg.* 1999 Dec. 125(12):1305-10. [Medline].
- 13. Einhorn J, Wersall J. Incidence of oral carcinoma in patients with leukoplakia of the oral mucosa. *Cancer*. 1967 Dec. 20(12):2189-93. [Medline].
- Cawson RA, Odell EW. Essentials of Oral Pathology and Oral Medicine. 6th ed. New York, NY: Churchill Livingstone. 1998.
- Cawson RA, Speight P, Binnie WH, Wright J, eds. Luca's Pathology of Tumors of the Oral Tissues. 5th ed. New York, NY: Churchill Livingstone. 1998.
- 16. Eveson JW. Oral premalignancy. Cancer Surv. 1983. 2:403-424.
- 17. Haya-Fernández MC, Bagán JV, Murillo-Cortés J, Poveda-Roda R, Calabuig C. The prevalence of oral leukoplakia in 138 patients with oral squamous cell carcinoma. *Oral Dis.* 2004 Nov. 10(6):346-8. [Medline].
- 18. Kramer IR, El-Labban N, Lee KW. The clinical features and risk of malignant transformation in sublingual keratosis. *Br Dent J*. 1978 Mar 21. 144(6):171-80. [Medline].
- Laskaris G. Color Atlas of Oral Diseases in Children and Adolescents. New York, NY: Thieme Medical. 2000
- Mincer HH, Coleman SA, Hopkins KP. Observations on the clinical characteristics of oral lesions showing histologic epithelial dysplasia. Oral Surg Oral Med Oral Pathol. 1972 Mar. 33(3):389-99. [Medline].
- 21. Pindborg JJ, Roed-Peterson B, Renstrup G. Role of smoking in floor of the mouth leukoplakias. *J Oral Pathol.* 1972. 1(1):22-9. [Medline].
- Shafer WG, Hine MK, Levy BM, eds. A Textbook of Oral Pathology. 4th ed. Philadelphia, Pa: WB Saunders. 1983.
- 23. Silverman S Jr, Gorsky M, Lozada F. Oral leukoplakia and malignant transformation. A follow-up study of 257 patients. *Cancer.* 1984 Feb 1. 53(3):563-8. [Medline].
- 24. Silverman S, Bhargava K, Smith LW, Malaowalla AM. Malignant transformation and natural history of oral leukoplakia in 57,518 industrial workers of Gujarat, India. *Cancer.* 1976 Oct. 38(4):1790-5. [Medline].
- Warnakulasuriya S, Johnson NW, van der Waal I. Nomenclature and classification of potentially malignant disorders of the oral mucosa. J Oral Pathol Med. 2007. 36:575-580.

Medscape Reference © 2011 WebMD, LLC